


ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____

TITLE HELD _____

DATE OF APPROVAL _____



ISOMETRIC VIEW







SECTION A-A

NOTES:

SIZE: 2'-6" X 8'-0"

1. CURB MATERIALS
   a. 14 GA GALVANIZED CURB
2. CURB CAP MATERIALS
   b. 14 GA GALVANIZED CURB CAP
3. CURB LINER MATERIALS
   c. 22 GA GALVANIZED CURB LINER
4. CURB INSULATION THICKNESS AND MATERIALS
   d. 2" POLYISCOCYANURATE CURB INSULATION
5. COVER MATERIALS
   e. 14 GA GALVANIZED COVER
6. COVER LINER MATERIALS
   f. 22 GA GALVANIZED COVER LINER
7. COVER INSULATION THICKNESS AND MATERIALS
   g. 2" POLYISOCYANURATE COVER INSULATION
8. COVER RATED FOR 70PSF LIVE LOAD
9. COVER AND CURB ARE PAINTED WHITE
10. ZINC PLATED HARDWARE

BEST ROOF HATCHES

For more information, contact us at **info@bestroofhatches.com** or call us at **1-800-431-8651**

| | | |
|---|---|---|
| DRAWN | BC | 4/17/2019 |
| CHECKED | CD | MILCOR |
| QA | | TOLERANCE UNLESS SPECIFIED |
| MFG | | .XXX ± 0.005" |
| APPROVED | | .XX ± 0.01" |
| | | FRACT. ± 1/16" |
| | | ANGLES ± 1˚ |

BEST ROOF HATCHES — For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651

TITLE: M-3 EE 30X96 SINGLE LEAF ROOF HATCH

| SIZE | DWG NO | REV |
|---|---|---|
| D | 3501-512-9EE | A |

SCALE | SHEET 1 OF 1