

ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____

TITLE HELD _____


DATE OF APPROVAL _____

ISOMETRIC VIEW

- NOTES:
- SIZE: 2'-6" X 8'-0"
1. CURB MATERIALS
 - a. 14 GA GALVANIZED CURB
 2. CURB CAP MATERIALS
 - b. 14 GA GALVANIZED CURB CAP
 3. CURB INSULATION THICKNESS AND MATERIALS
 - c. 1" RIGID FIBERBOARD CURB INSULATION
 4. COVER MATERIALS
 - d. 14 GA GALVANIZED COVER
 5. COVER LINER MATERIALS
 - e. 22 GA GALVANIZED COVER LINER
 6. COVER INSULATION THICKNESS AND MATERIALS
 - f. 1" POLYSTYRENE COVER INSULATION
 7. COVER RATED FOR 70PSF LIVE LOAD
 8. COVER AND CURB ARE PAINTED WHITE
 9. ZINC PLATED HARDWARE



For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651

DRAWN BC	4/25/2019	<div><div></div><div>For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651</div></div>			
CHECKED CD	MILCOR	TITLE			
QA	TOLERANCE UNLESS SPECIFIED	M-3 30X96 SINGLE LEAF ROOF HATCH			
MFG	.XXX ± 0.005"				
APPROVED	.XX ± 0.01"				
	FRACT. ± 1/16"	SIZE D	DWG NO 3501-512-9		REV A
	ANGLES ± 1°	SCALE	SHEET 1 OF 1		