

ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____


TITLE HELD _____

DATE OF APPROVAL _____

- NOTES:
- SIZE: 3'-0" X 3'-0"
1. CURB MATERIALS
 - a. 0.090 ALUMINUM CURB
 2. CURB CAP MATERIALS
 - b. 0.090 ALUMINUM CURB CAP
 3. CURB INSULATION THICKNESS AND MATERIALS
 - c. 1" RIGID FIBERBOARD CURB INSULATION
 4. COVER MATERIALS
 - d. 0.090 ALUMINUM COVER
 5. COVER LINER MATERIALS
 - e. 0.063 ALUMINUM COVER LINER
 6. COVER INSULATION THICKNESS AND MATERIALS
 - f. 1" FIBERGLASS COVER INSULATION
 7. COVER RATED FOR 40PSF LIVE LOAD
 8. COVER AND CURB ARE MILL FINISH
 9. ZINC PLATED HARDWARE



For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651

DRAWN CDEWILDT	5/24/2019	<div> For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651</div>		
CHECKED	MILCOR	TITLE RD-3X3 36X36 SINGLE LEAF ROOF HATCH		
QA	TOLERANCE UNLESS SPECIFIED	SIZE D		
MFG	.XXX ± 0.005"	DWG NO 3501-710-9		
APPROVED	.XX ± 0.01"	REV A		
	FRACT. ± 1/16"	SCALE		
	ANGLES ± 1°	SHEET 1 OF 1		