

ORDER WILL NOT BE RELEASED FOR FABRICATION UNTIL SIGNED COPY IS RECEIVED.

VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS FOR THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____

TITLE HELD _____


DATE OF APPROVAL _____

ISOMETRIC VIEW

- NOTES:
- SIZE: 4'-0" X 4'-0"
 - 1. CURB MATERIALS
 - a. 0.090 ALUMINUM CURB
 - 2. CURB CAP MATERIALS
 - b. 0.090 ALUMINUM CURB CAP
 - 3. CURB INSULATION THICKNESS AND MATERIALS
 - c. 1" RIGID FIBERBOARD CURB INSULATION
 - 4. COVER MATERIALS
 - d. 0.090 ALUMINUM COVER
 - 5. COVER LINER MATERIALS
 - e. 0.063 ALUMINUM COVER LINER
 - 6. COVER INSULATION THICKNESS AND MATERIALS
 - f. 1" FIBERGLASS COVER INSULATION
 - 7. COVER RATED FOR 40PSF LIVE LOAD
 - 8. COVER AND CURB ARE MILL FINISHED
 - 9. ZINC PLATED HARDWARE

**BEST ROOF
HATCHES**

For more information, contact us
at info@bestroofhatches.com or
call us at 1-800-431-8651

DRAWN CDEWILDT	5/22/2019	<div><div></div><div>For more information, contact us at info@bestroofhatches.com or call us at 1-800-431-8651</div></div>		
CHECKED	MILCOR	TITLE RD-4X4 48X48 SINGLE LEAF ROOF HATCH		
QA	TOLERANCE UNLESS SPECIFIED	SIZE D	DWG NO 3501-306-9	REV A
MFG	.XXX ± 0.005"	SCALE	SHEET 1 OF 1	
APPROVED	.XX ± 0.01"			
	FRACT. ± 1/16"			
	ANGLES ± 1°			